
#### 56 56291564 56371564 56451564 56371563 56451563 56371562 56451562 56211562 56211562 56211562 56291561 56291561 56291561 56291561 56291562 56291562 56291563 562915 \$6051562 55971554 5605155 BOL156153 563715 66451561 563715 66451561 563715 68 58451568 S6291559 56291559 56291558 56291558 56051558 56051557 56131558 56131558 56131558 56131558 55971555 55971553 56051553 56051553 56051553 56051553 56131558 56131555 561 56371558 56451558 56691557 56611555 56691561 56611555 56691568 566115156691559 BDL15565383 56291555 56291554 56291553 56291554 56291553 56291554 56371553 56371553 56131552 56131552 56211552 56211552 56211552 55971552 K 56131550 56131540 EG-15565414 56211551 56291558 56291558 56291558 9 56291549 BOL 15515343 \$\$971550 2 0 0 1 56371552 1 56371551 1 56371551 1 56371561 1 56371561 1 56371561 1 56371561 1 56371561 1 56371549 56371549 56451551 56291548 56371548 56291548 56371547 56371547 56451552 56371546 56371546 56291546 56371546 56291544 56371546 56291544 56371546 ▶55891548 -0-56291548 56451546 56451546 56451546 56451546 56451544 56451548 56531548 125.28 \$6291543 0 56371543 55971548 55971548 56211539 56131539 56131537 56131536 56131536 56131536 56131536 56131536 56131536 56131537 T 95895 R 0 0 0 0 0 Creek. ° 56051548 ° 56131548 ° The second 56291538 56291538 56291538 56291536 56291536 5591537 55951537 55951537 55971538 EDL 15415414 56051537 O 56131536 56131536 5613535 5613535 56211536 56211536 56211536 56211536 10 0 0 0 55971535 0 0 0 0 56051535 80 56051538 55971533 55971533 55811536891539,55891534 55891534 56001534 56001534 56131534 56211534 55891533 55971532 55971533 56051533 56131534 56211533 55891533 55971534 55971534 56051533 56131534 5621153 55891528 55971534 55971528 56051532 56131534 56211523 55891528 55971528 55971528 55971528 56131528 56131528 55891528 55891528 55971527 55971527 56131528 56131528 55891528 55891528 55971527 56131528 56131528 56131528 55891528 55891528 55971527 56131528 56131528 56131528 55891524 55891524 55971527 56131528 56131528 56131528 55891524 55891524 55891524 55971523 56131528 56131528 55891524 55891524 55891524 55971523 56051522 56131528 55891524 55891524 55891524 55891524 56051524 55811532 55811532 56451534 \$6391535 ° 55811529 55811529 55811529 55811528 55811529 55811529 55811529 55811529 55891528 \$5791590 55731528 557315385731587 ▶56371532 🛱 56371527 4 - 563715 6371525 ° \$38538 0 56291528, 56371528 BDL 15265343 5621152<del>0</del> \$61291526 St 55731522 55731522 ्रिट्रजीस्टर P 🗢 O IO 9 O OL152654 56:291523 ° \$5651528



Horizontal datum: NAD27 North Dakota North Zone Vertical datum: NGVD29 Orthometric



T

Ø



	gh		oration LL 3D Survey th Dakota		
WIND MILL WATER WELL OIL/GAS WELL DRY HOLE CONTROL POINT	× H o	ARCH SITE HAZARD GATES RECEIVER POINT SOURCE POINT		POWERLINE FENCE	E

1281 Receiver points 759 Source points Sept.- Oct. 2002 Scaled to fit

Extreme Surveys, Inc.

Dubois, Wyoming 307-455-2796

	EISMIC C DUSTRIAL L AND GAS N 51456 (11-	COMMIS S DIVISI	SSION OF	EPORT	- H DAKO1	A	191320213				BOULEVA	
PERMIT NO .:	17.00	73					- (	S B B B B				
SHOT HOLE OPERAT	TIONS:	0 Ho	le	5L	bs	INON-EX	PLOSIVE O	PERATIONS				
SECTION 1										_		
GEOPHYSICAL CON	TRACTOR:	Λ	erita	ùS	De	SC L	AND					
PROJECT NAME AN	D NUMBER:	Rou	ah Ri	der	3D	COUNTY	<sup>(S):</sup> N	lcKen	ZIE	_		
TOWNSHIP(S):		146		<u> </u>		RANGE(S	-	00	1			
PERMITTED BY:	Tim	BRO	OKS		-	Vť	ERIT	AS				
DATE COMMENCED	" SEI	0 <del>1</del> .2	73 L	20	0,2		MPLETED:	Nov	14	$\mathcal{Q}$	002	
SECTION 2			,	,						,		
FIRST S.P. #: 5	525	- 14	71 /	900	100100	LAST S.P	. #: 54	77 1	565	7	90001	008
LOADED HOLES (UN		d shot pa 5549-	eints) 7		5587			5613		,		5645
S.P. #'s:	5533-			5581 1520	1501,	5591 1507	5605	1514, 1523, 1552	564 1552	562) 1546	5637 1559	1534, 1532,
CHARGE SIZE::	5#	5#	5#	5*	1546 5#	5⊭	5#	1541 1541 5¢	5#	5#	5#	5*
DEPTH:	4.67	60'	40'	60'	60'	Lu'	60'	40'	60,'	6.0'	4.4	40
REASONS HOLES W					I					<u> </u>		
ALL ABOS					1			ſ	· s			
NUT SHOT	ั เงินช	TO	GAD .	detor	retest,	wor	LAN	1 TOU	هر م ا			
SECTION 3												
FLOWING HOLES	NON	1e									-	
	•											
NIA												
PROCEDURE FOR	PLUGGING	FLOWING	HOLES:									
												. [
NA								_	_			
Include a 7.5 minute	USGS topog	raphic qua	drangle mag	p or a con	aputer gene	rated post-	plot facsimi	ile of the ap	proximate s	cale displa	iying each ir	ndividual
shot hole, SP #, line :	#, and legal l	location.										

\*Non-Explosive Operations - Complete Section 1 and Affidavit.

AFFIDAVIT OF COMPLETION (GEOPHYSICAL CONTRACTOR)
STATE OF NORTH DAKOTA )
COUNTY OF HORES )
Before me, <u>Melissa A. Domec</u> , a Notary Public in and for the said County and State, this day personally appeared <u>Tim Brooks</u> who being first duly sworn, deposes and says that (s)he is employed by <u>Veritus Ox Lon</u> , that (s)he has read North Dakota Century Code Section 38-08.1, that the foregoing seismic project has been completed in
accordance with North Dakota Administrative Code Rule 43-02-12 and that the statements on the reverse side of this document are true.
Geophysical Contractor Representative Subscribed in my presence and sworn before me this $35^{\text{H}}$ day of February, $303$ .
Notary Public Welissa O. Dame
My Commission Expires 47/2003

#### NORTH DAKOTA INDUSTRIAL COMMISSION

## <u>IL AND GAS DIVISION</u>

Lynn D. Helms DIRECTOR http://explorer.ndic.state.nd.us

Bruce E. Hicks ASSISTANT DIRECTOR

January 21, 2003

Mr. Tim Brooks Veritas DGC Land 410 17<sup>th</sup> St., Ste. 1690 Denver, CO 80202

RE: Seismic Completion Reports # 970072 – Beiceigel Creek 3D #970073 – Cliffside 3D #970074 – Roughrider 3D #970077 – Roosevelt Creek 3D

Dear Mr. Brooks:

Please be advised that we have not received Seismic Completion Reports for the above captioned programs. We have enclosed for your convenience, blank copies of these forms.

Pursuant to section 43-02-12-06 NDAC, geophysical contractors are required to submit these reports within 30 days of completion of operations. For your information, we have received the required post-plot maps and a copy of the holeplugging records, so the only forms we currently lack are the enclosed completed reports.

Should you have any questions regarding this matter, feel free to call me at your earliest convenience.

ncede C. Hvinden David

Geophysical Regulation Supervisor

	1											
	EOPHYSICA IDUSTRIAL CO IL AND GAS D EN 51459 (11-97)	MMISSIC	ORAT	NORT	"H DAKO1	-A		UG 2002	)		BOULEVARD AVE ARCK, ND 58505	
1) a. Company:				Addr		(h ~)	$\langle \cdot \rangle$	NUTSTON CA	<i>.</i> <b>.</b>			
VERITAS	DGC LAN	_ Q/		4	10-17	<u>h</u> Stree	<u> </u>	suife 1	690,	DENVE	ER, CO 80202	
Contact:					phone:				Fax:		{	
Tim	BROOKS			30	3-607	<u>1-9344</u>	2	xt 109	30	3-60	7-9349	
Surety Company	/:	Comp	ANV		Amount:			<b>.</b>		lumber:		
SAFECO	Insurance					50,000	o 5766186					
2) a. Subcontra				Addı					Teleph			
FIRIARA	TION DRIL	LING .	TAC	70	ute Z	Box ZIS	Sid	NOV. MT. 5922	no 406-482.3356			
b. Subcontac				Addı		<b>_</b>			Teleph			
c. Subcontra	ctor(s):			Address:					Telephone:			
3) Party Manage				Addı	'ess:			DENVER	Teleph	076:		
DAN M					-	treet st	- 17.9	0 00 80202			- 5388	
	or Line Numbers				ى 11					. ,,,		
		-	IGH	Ri	lee 3	3D						
5) Exploration M	lethod (Shot Hole				D):							
		HOT			5	70						
6) Approximate	Drilling Start Dat			-		Approximate	Com	pletion Date:				
	ugust Z		o2	OCTOBER 3					1.20	02		
	Sion Must be			ST 2					_			
	roposed Project -				+ noons i					CE/FEOG	OF ERA FIONS	
		County	Mc	Kei	Izie	COUNT	ŗy			<u> </u>		
Section(s), To	wnship(s) & Ran	ge(s)			15,1		Т	146		R	100 W	
TILL	THGN RIDOW				Sec. 20, 21, 22			146	N	<u>R</u>	100 W	
1 1 1 02				Sec.	29,	28,27	T 146N			R	100W	
						33,34					,	
				Sec.			T	146		R	1000	
8) Size of Hole	Amt. of Charge		Shots p Mi.(sq.r		No. of Mi. (sq. mi.)	Geophysical		ving Marks Use a. Plugger ID		ugger ID	c. Plugger (D	
121 "					(				[			
4 3/4	2182	60	.17	<b>P</b> 8:	10.52.59	VDGC		EDI				
9) Anticipated s	pecial drilling and	plugging	procede		. 6				-			
NONE	ANTICIP	ATed										
	e-plot map with		ocation	of se	ismic progr	am lines and p	owde	r mag.				
SEE ENICLO	SED MAP F	50 114	e lo	CAT	ions	- Runne	n	AA locatio	- Not	to he	determined.	
Signed:				Title				9.100.7.1		Date:		
	77-	1_		<b> </b>		ations /	n 61	e.		8.	9.02	
		ce for Star	ta offici	use)				Condita	ons of Ap	if a		
Permit No.:	2 1072				oval Date: 8			if sugar	plug	u/#73	and deller	
<b>_</b>	TUUB	<i>o</i>				MOL I					ounce, county,	
Approved By:	ut HL	4 4	$\leftarrow$				and	stati fell	Lep	Kon po	tensa C 701-	
Title: Control	if Kinula	le A	serve	4			227	-7436 pri	toa	ay dull	ug. Alldyte	
County Appreval S	Sent: Millin	i Can	8/19	m-			( Die	ances me	lu x	umb	apon requir	
<u> </u>				•See	Instruction	s On Reverse S	Sid	nd SEG-1	01 sh	med l	resent in of	
plat to th	de			230			6	Ampleter	riou	t. 1	1 letters	

### NORTH DAKOTA INDUSTRIAL COMMISSION

### <u>IL AND GAS DIVISION</u>

Lynn D. Helms DIRECTOR http://explorer.ndic.state.nd.us

Bruce E. Ilicks ASSISTANT DIRECTOR

August 20, 2002

Tim Brooks Veritas DGC Land, Inc. 410-17<sup>th</sup> St., Ste. 1690 Denver, CO 80202

RE: GEOPHYSICAL EXPLORATION PERMITS NO. 97-0072 - BEICEIGEL CREEK 3D 97-0073 - ROUGH RIDER 3D 97-0074 - CLIFFSIDE 3D MCKENZIE COUNTY

Dear Mr. Brooks:

This letter will verify the approval of the above-captioned Geophysical Permits effective August 19, 2002.

Please feel free to contact Mr. David Hvinden, Geophysical Regulation Supervisor if you should have any questions.

Sincerely,

Marge Rixen Legal Assistant

/mr

Enc.

#### NORTH DAKOTA INDUSTRIAL COMMISSION

# IL AND GAS DIVISION

Lynn D. Helms DIRECTOR http://explorer.ndic.state.nd.us

Bruce E. Hicks ASSISTANT DIRECTOR

August 19, 2002

The Honorable Frances M. Olson McKenzie County Auditor P.O. Box 543 Watford City, ND 58854

> RE: Geophysical Exploration Permits # 97-0072, 97-0073, 97-0074

Dear Ms. Olson:

Pursuant to Section 38-08.1-04.2 of the North Dakota Century Code, please be advised that Veritas DGC Land was issued the above captioned permits on August 19, 2002 and will remain in effect for a period of one year.

Should you have any questions, please contact our office.

Sincerely,

David C. Hvinden Geophysical Regulation Supervisor

DCH/dh