



**GEOPHYSICAL EXPLORATION COMPLETION REPORT - FORM GE 6A**  
INDUSTRIAL COMMISSION OF NORTH DAKOTA  
OIL AND GAS DIVISION  
600 EAST BOULEVARD DEPT 405  
BISMARCK, ND 58505-0840  
SFN 51456 (03-2011)

**RECEIVED**

FEB 07 2025

**ND Oil & Gas  
Division**

Permit No. <b>97-0334</b>	
Shot Hole Operations	*Non-Explosive Operations <b>CWC (charged well casing-CWC- electromagnetic current)</b>

**SECTION 1**

Geophysical Contractor <b>ESG Solutions Group, Inc.</b>	
Project Name and Number <b>Basin Electric Research Project- CWC EM</b>	County(s) <b>Mercer</b>
Township(s) <b>145N</b>	Range(s) <b>88W</b>
Drilling and Plugging Contractors	
Date Commenced <b>September 20, 2024</b>	Date Completed <b>October 21, 2024</b>

**SECTION 2**

First S.P. #	Last S.P. #											
Loaded Holes (Undetonated Shot Points)												
S.P.#s												
Charge Size												
Depth												
Reasons Holes Were Not Shot												

**SECTION 3**

Flowing Holes and/or Blowouts S.P.#s
Procedure for Plugging Flowing Holes and/or Blowouts
Include a 7.5 minute USGS topographic quadrangle map or a computer generated post-plot facsimile of the approximate scale displaying each individual shot hole, SP #, line #, and legal location.

\*Non-Explosive Operations - Complete Section 1 and Affidavit (Form GE 6B).



GEOPHYSICAL EXPLORATION AFFIDAVIT OF COMPLETION REPORT FORM G-8B

INDUSTRIAL COMMISSION OF NORTH DAKOTA  
OIL AND GAS DIVISION  
600 EAST BOULEVARD DEPT 405  
BISMARCK ND 58505-0845  
SFN 51456 (33-2011)

FEB 07 2025

**ND Oil & Gas  
Division**

PERMIT NAME (Required): Geophysical Exploration Permit- Form GE 1

PERMIT NUMBER: 97-0334

### AFFIDAVIT OF COMPLETION (GEOPHYSICAL CONTRACTOR)

STATE OF Texas

COUNTY OF Harris

Before me, Misty Hill, a Notary Public in and for the said

County and State, this day personally appeared David Moore


who being first duly sworn, deposes and says that (s)he is employed by ESG Solutions Group, Inc.

\_\_\_\_\_ , that (s)he has read North Dakota

Century Code Section 38-08.1, that the foregoing seismic project has been completed in accordance with North Dakota Administrative Code Rule 43-02-12 and that the statements on the reverse side of this document are true.

Geophysical Contractor Representative

Subscribed in my presence and sworn before me this 6<sup>th</sup> day of February, 2025



Notary Public

Misty Hired


My Commission Expires July 5, 2027




RECEIVED

FEB 07 2025

ND Oil & Gas  
Division




# Basin Electric Research Project CWC EM, Permit No. 970334



- EM Receivers
- CO<sub>2</sub> Injection Wells
- Water Wells
- ★ Wi-Fi Towers
- ◇ Transmitter Electrodes
- Transmitter Wire





# Oil and Gas Division

Mark F. Bohrer - Assistant Director

North Dakota Industrial Commission

Department of Mineral Resources

[www.dmr.nd.gov/oilgas/](http://www.dmr.nd.gov/oilgas/)

September 6, 2024

David Moore  
Chief Executive Officer  
ESG Solutions Group, Inc.  
10815 Woodedge Drive  
Houston, TX 77070

RE: BASIN ELECTRIC RESEARCH PROJECT – CWC EM  
GEOPHYSICAL EXPLORATION PERMIT #97-0334  
MERCER COUNTY  
NON-EXPLOSIVE METHODS

Dear Mr. Moore:

Be advised that your Geophysical Exploration permit is conditionally approved; effective for one year from September 6, 2024.

## **PERMIT STIPULATIONS:**

- **ESG Solutions Group, Inc. must contact seismic inspector Tom Torstenson at (701) 290-1546 72 hours prior, to arrange a start-up meeting. Also, a copy of the entire permit is required for all contractors at the start up meeting.**
- **ESG Solutions Group, Inc. must contact Tom Torstenson at (701) 290-1546 24 hours prior to conducting any geophysical activities.**
- **Pursuant to NDAC 43-02-12-05 (DISTANCE RESTRICTION) Non-explosive exploration methods may not be conducted less than 300 feet from water wells, buildings, underground cisterns, pipelines, and flowing springs.**
- **In addition, pursuant to NDAC 43-02-12-06 (NOTIFICATION OF WORK PERFORMED), "The director is authorized to suspend operations of the entire geophysical project, or any portion thereof, if further activity will cause excessive damage to the surface of the land".**


Review the following conditions for your permit:

1. All variances for distance restrictions are to be furnished, and a pre-plot map displaying any source points that do not comply with the distance restriction rule must be supplied to the inspector.
2. The following information must be submitted within 30 days of the completion of the project by the Geophysical Company:
  - a. Completion Report,

- b. Completion Affidavit,
  - c. Post Plot Map. It must show all water wells, buildings, underground cisterns, pipelines, and flowing springs that fall within the program area and within one half mile of the perimeter of the program.
  - d. Must provide a GIS layer using NAD83 in an Esri shape file format and an Image file (.img) on a Flash Drive or email: [tlorstenson@nd.gov](mailto:tlorstenson@nd.gov) with all source and receiver points,
3. The permit agent shall notify the operator of the land at least seven days before commencement of any geophysical exploration activity, unless waived by mutual agreement of both parties. The notice must include the approximate time schedule and the location of the planned activity.
4. Information regarding the location of water wells, springs, etc.; refer to the following ND State Water Commission Mapservice website, at: <http://mapservice.swc.state.nd.us/>
5. The entire permit can be viewed, as well as the status of various seismic projects in the state, at: <https://www.dmr.nd.gov/oilgas/seismic/seismicstats.asp>

Should you have any questions regarding this matter, feel free to contact our office.

Sincerely,



Todd L. Holweger  
Permit Manager/Geophysical Supervisor





# GEOPHYSICAL EXPLORATION PERMIT - FORM GE 1

INDUSTRIAL COMMISSION OF NORTH DAKOTA  
OIL AND GAS DIVISION  
600 EAST BOULEVARD DEPT 405  
BISMARCK, ND 58505-0840  
SFN 51459 (03-2011)



1) a. Company <b>ESG Solutions Group, Inc.</b>		Address <b>10815 Woodedge Drive, Houston, TX 77070</b>	
Contact <b>Misty Hill</b>		Telephone <b>(832) 585-6679</b>	Fax <b>(832) 218-1247</b>
Surety Company <b>Bonington Bank of ND</b>		Bond Amount <b>\$25,000</b>	Bond Number <b>GEO 310</b>
2) a. Subcontractor(s)		Address	Telephone
b. Subcontractor(s)		Address	Telephone
3) Party Manager <b>Kenneth Elsbury</b>		Address (local) <b>same as above</b>	Telephone (local) <b>(361) 350-6007</b>
4) Project Name or Line Numbers <b>Basin Electric Research Project- CWC EM</b>			
5) Exploration Method (Shot Hole, Non-Explosive, 2D, 3D, Other) <b>CWC (charged well casing- CWC- Electromagnetic current source)</b>			
6) Distance Restrictions (Must check all that apply) <input checked="" type="checkbox"/> 300 feet - NonExplosive - Distance setbacks apply to water wells, buildings, underground cisterns, pipelines, and flowing springs. <input type="checkbox"/> 660 feet - Shot Hole - Distance setbacks apply to water wells, buildings, underground cisterns, pipelines, and flowing springs.			
7) Size of Hole <b>3-D N/A</b>	Amt of Charge <b>n/a</b>	Depth <b>n/a</b>	Source points per sq. mi. <b>2</b>
Size of Hole <b>2-D</b>	Amt of Charge	Depth	Source points per ln. mi.
8) Approximate Start Date <b>September '24</b>		Approximate Completion Date <b>September '24</b>	


THE COMMISSION MUST BE NOTIFIED AT LEAST 24 HOURS IN ADVANCE OF COMMENCEMENT OF GEOPHYSICAL OPERATIONS

9) Location of Proposed Project - County <b>Mercer County</b>			
Section(s), Township(s) & Range(s)	Section <b>1,2</b>	T. <b>145N</b>	R. <b>88W</b>
	Section	T.	R.
	Section	T.	R.
	Section	T.	R.
	Section	T.	R.
	Section	T.	R.

I hereby swear or affirm that the information provided is true, complete and correct as determined from all available records.			Date <b>16 Aug 24</b>
Signature 	Printed Name <b>David Moore</b>	Title <b>CEO</b>	
Email Address(es) <b>david.moore@esgsolutions.com</b>			

(This space for State office use)		<b>Permit Conditions</b>  * Permit in hand required at pre-program meeting with field inspector and be aware of all NDIC Rules and Regulations (i.e. distance restrictions).  * See attached letter.
Permit No. <b>97-0334</b>	Approval Date <b>9/6/24</b>	
Approved by 	Title <b>Mineral Resources Permit Manager</b>	

\*See Instructions On Reverse Side



# Oil and Gas Division

Mark F. Bohrer - Assistant Director

**North Dakota Industrial Commission**

**Department of Mineral Resources**

[www.dmr.nd.gov/oilgas/](http://www.dmr.nd.gov/oilgas/)

September 6, 2024

The Honorable Carmen Reed  
Mercer County Auditor  
P.O. Box 39  
Stanton, ND 58571-0039

RE: Geophysical Exploration  
Permit Number 97-0334

Dear Ms. Reed:

Pursuant to Section 38-08.1-04.2 of the North Dakota Century Code, please be advised that the ESG Solutions Group, Inc. was issued the above captioned permit on September 6, 2024, and will remain in effect for a period of one year. The entire permit can be viewed on our website at: <https://www.dmr.nd.gov/oilgas/seismic/seismicstats.asp>

Should you have any questions, please contact our office.

Sincerely,

Todd L. Holweger


Permit Manager/Geophysical Supervisor




**EERC – EM CCUS Monitoring  
Coteau Mines  
Beulah, North Dakota**

- Day 1:** Setup Command and Control & Survey (Mark points for receivers & hydras)
- Day 2:** Continue Survey & Begin Layout (Drive rods for hydras & points for receiver locations)
- Day 3:** Continue receiver rod installation & Install Wi-Fi communication towers
- Day 4:** Layout receivers, wire, & batteries
- Day 5:** Test & QC
- Day 6:** Acquisition
- Day 7:** Acquisition
- Days 8-10:** Equipment retrieval









Wi-Fi Towers –  
36 – small red  
stars

Command & Control





Receiver Locations - ~250  
Yellow points

Rods - ~500  
White points

# Electromagnetic Imaging – Surface Deployment

## Equipment and Operational Considerations

RESTRICTED & CONFIDENTIAL DOCUMENT



This document may contain confidential information belonging to ESG. The information is intended for the sole use of the individual or entity named above. Distribution of this information to third parties is strictly prohibited without written authorization from ESG. ESG accepts no liability for any actions taken by any parties based on information contained in this document.

Contents

Electromagnetic Array Design .....3

    Array Design .....3

Equipment .....3

    Pictures.....7

        Aerial view of layout.....7

        Transmitter .....8

Operational Considerations.....9

Project Steps..... 10

    Project Scoping..... 10

    Scouting..... 10

    Permitting..... 10

    Acquisition..... 10



# Electromagnetic Imaging

## Equipment and Operational Considerations

### ELECTROMAGNETIC ARRAY DESIGN

#### Array Design


Electromagnetic (EM) arrays are designed to cover ground directly above where the fluid is potentially moving subsurface. Therefore, the array will ideally be deployed slightly further than the expected distance of water movement. When needed, the arrays are deployed over the initial monitoring area, then leap-frogged to cover the subsequent project area.

Depending on the project objectives and granularity of detail required, a sparse (less detail) or dense (more detail) array can be used. Creating a sparse vs. dense array is done by shortening (dense array) or lengthening (sparse array) the cable lengths on either side of the receivers.

Project feasibility and array design will be assessed by the ESG EM Subject Matter Experts (SME).

### EQUIPMENT

The monitoring equipment is grouped into two main components: the source and the receivers.



The source is called the Transmitter (powered by a generator), which introduces current into the transmitter line and Hydra's. Each Hydra consists of concentric circles of cable, that all plug into the central hydra box. The current is transmitted along the cables and enters the ground through grounding rods. These 8 feet grounding rods are hammered into the ground approximately 6 feet or until moist ground. The quantity of grounding rods is dependent on the geology and designed to get enough current into the ground.

## Electromagnetic Imaging

### Equipment and Operational Considerations

---

Two hydras are generally used on either side of the transmitter line. The transmitter line(s) are generally deployed above a horizontal well or wells.

The data is collected by laying out a series of receivers. Each station consists of:

1. 1 x receiver
2. 1 x antenna with GPS and communication
3. 1 x battery to power the receiver
4. 2 x 100 feet or 200 feet cable deployed on either side of the receiver
5. Electrodes placed at either end of the cable
  - a. Survey stakes placed at each electrode to safely identify each station.
  - b. The receivers placed above the area water flow is expected, perpendicular to the transmitter line.
  - c. Generally, a few hundred receiver stations will be deployed, however this is highly dependent on the monitoring objectives.
  - d. Furthermore, if needed, we can order custom cable lengths.

Preprocessing is performed at each receiver. The preprocessed data are transmitted via wi-fi to the on-site office. During operation, the batteries from each receiver station will require manual swapping. The current batteries last 72 hours but cold weather will affect the duration of the battery charge.

The array is considered walk safe to humans and livestock in the field.

## Electromagnetic Imaging




### Equipment and Operational Considerations

Components	Description
<p>Receivers Box (Rx Box)</p> 	<p>The receivers collect the data and facilitate pre-processing. Each receiver has an external USB with up to around 1 week of compressed data storage.</p> <p>A janitor tent is placed on top of each receiver as some protection from the elements and ease of visualization</p> <p><u>Power:</u> Each receiver is powered with 1 battery that lasts approximately 72 hrs. (condition dependent)</p> <p><u>Communication:</u> The pre-processed data from each receiver is transmitted via Wi-Fi to the on-site trailer</p>
<p>Receiver Antennas</p> 	<p>Each Receiver has an 8 feet PVC pole that houses 2 wi-fi antennas and GPS antenna.</p>
<p>Sensor Cable</p> 	<p>Lengths of cable are placed on either side of the receiver, typically perpendicular to the transmitter line.</p> <p>Lengths available: 100 feet or 200 feet</p> <p>Custom lengths require manufacturing.</p> <p>All receiver cable is coated in 'Tiger Urine' or bittering agent to detract wildlife from chewing the cable.</p>
<p>Electrode</p> 	<p>The electrode is a 4 feet copper coated steel rod that is placed at the end of each sensor cable. The receiver cable is connected to each electrode, two per received location. Each electrode is hammered into the ground to approximately 3.5 foot depth with an electrical hammer (hydraulic hammer for some locations). Each rod has a plastic safety cap.</p>
<p>Wi-Fi</p> 	<p>Ad Hoc Wi-fi network consists of a base station at command control unit mounted on a 40 feet mast, and multiple repeaters on 30feet masts that include a wi-fi aggregator and a light beam direction antenna. Each aggregator/light beam is powered with battery pack +power over ethernet (POE). Battery changed every 12 hours, 24-hr power 12-volt battery.</p>



# Electromagnetic Imaging

## Equipment and Operational Considerations


<p>Transmitter</p> 	<p>The Transmitter introduces an alternating electric current into the Hydra's and transmitter line, which introduces it into the ground via grounding rods.</p> <p>Transmitter is up to 160KW, generally do around 100KW.</p> <p>Power: Generator- 56kW</p>
<p>Transmitter Wire</p> 	<p>The current from the Transmitter travels through the transmitter line to the Hydras.</p>
<p>Hydra</p> 	<p>Each Hydra consists of concentric circles of cable, all connected to a central hydra box. Grounding rods, approximately 100 per Hydra, are placed at ~3- foot radius distance from the hydra box to ground the current into the subsurface. They are pounded into the ground ~ 6 feet or to moist ground.</p>

# Electromagnetic Imaging

## Equipment and Operational Considerations


### Pictures

Aerial view of layout





Electromagnetic Imaging  
Equipment and Operational Considerations



Transmitter





# Electromagnetic Imaging

## Equipment and Operational Considerations

### OPERATIONAL CONSIDERATIONS

Optimal Project Deployment Planning	
Water Rating	Equipment is water resistant. It is not designed for submersion. If submersion is expected, the receivers can be raised off the ground.
Terrain	Cliffs, bodies of water, streams will prevent sensor deployments at those locations. However successful surveys have been acquired while avoiding these areas.
Ground Condition	<p><u>General:</u> Grounding rods from hydras need to touch moisture. Approximately 100 per Hydra location. They are 8 feet in length and need about 1-2 feet above ground. Therefore, moist ground needs to be reached at 6 feet. Additionally, these rods are manually installed with a hydraulic hammer.</p> <p><u>Brush:</u> Cable needs to lie close to the ground, therefore density of brush needs to be assessed and potentially cut.</p> <p><u>Dry Ground:</u> Okay, as long as rods can get into competent ground within 6 feet that has moisture.</p> <p><u>Swampy/ muddy:</u> This could pose an issue operationally to deploy the stations, and to continually harvest the batteries. Swampy areas should be avoided when possible.</p> <p><u>Freezing and thawing:</u> Near-surface thawing and re-freezing could cause field wide response that is difficult to remove.</p>
Infrastructures	<p>Buildings, roads, homes, and current infrastructure should be evaluated.</p> <p><u>Roads:</u> transmitter cable can run across some roads, which will be suitably protected.</p>
Noise	Significant electrical noise sources should be avoided.
Interfering Sources	<p><u>Radios, walkie talkies:</u> These can cause some interference, avoid when possible</p> <p><u>Electric Fences:</u> Any electrical fence within the array boundary should be turned off during all operations</p> <p><u>Oil Pipelines with cathodic protection:</u> should be avoided, but request can be made to turn off during acquisition</p>
Animals	<p>Receiver cables are injected with a bittering agent 'Tiger Urine'. This deters rodents from chewing the cables. Hydra cables and transmitter line are not injected, however due to the current traveling through them, less of a concern.</p> <p>Big hooved animals (Moose, Deer, Elk) could rip out the cabling.</p>
Weather	<p><u>Rain:</u> Manageable, assuming doesn't flood area and submerge equipment.</p> <p><u>Snow:</u> Manageable</p> <p><u>Hail:</u> This could damage equipment.</p> <p><u>Lightning:</u> This could cause interference.</p> <p><u>Temperature:</u> Extreme cold temperatures need to be evaluated. System equilibration could take longer during the cold</p>

# Electromagnetic Imaging

## Equipment and Operational Considerations

---

### PROJECT STEPS

1. Scouting (often completed prior award, location dependent)
2. Acquisition (Layout, background recording, acquisition recording, removal)
3. Post- Acquisition Reporting

### Project Scoping

The first step is assessing the feasibility of the project. This is accomplished by gathering the appropriate data. The assessment can be classified into two parts: surface and subsurface assessment.

The surface assessment looks at operational considerations, such as pipelines, vegetation, roads, streams, tomography, noise sources and weather, to determine array design and project viability. This is done by evaluating regional information provided by operator and loading the well trajectories in Google Earth/Spotfire.

The subsurface assessment includes reviewing the resistivity log for geology assessment and reviewing the injection fluids/mixtures (frac-proppant) in comparison to injection formation fluids.

Where the feasibility results show geology is less than optimal, streaming potential application can be applied by connecting low amperes current to the well casing. This approach allows the signal processing to better account for geological variability and yield higher fidelity data results. A survey of all instruments connected to the casing within several hundred feet of our connection to the casing is recommend. Electrical isolation between the casing in ground and the piping on surface is key. Flexible tubing can be used.

### Scouting

Scouting is required to determine the feasibility of a project. This step is sometimes conducted in the quoting stage to determine if the project is feasible. When done before project award, we ask the client to sponsor the scouting price. If the scouting determines the project could be successful, then we credit the scouting if the project is awarded.


Scouting requires 2 people for a few days in the field. During the scouting trip, the following are assessed; ground condition, terrain, vegetation, and infrastructure to determine if project can be deployed efficiently and effectively.

### Permitting

Permitting is conducted by the client, leaning on landowner relationships.

### Acquisition

- Notice: We request 4 weeks' minimum notice prior to acquisition start to properly prepare for a new acquisition. If on the shorter term, design may be limited due to permitting or equipment availability.
- Layout: Average 3-10 days
- Recording
  - Battery harvesting
  - As stations are no longer required due to the fracturing operations progression, the field crew conducts retrieval of equipment, or repositions equipment for Flowback monitoring.
- Removal: Average 2-3 days



August 8, 2024

Mr. Todd Holweger  
Permit Manager/Geophysical Supervisor  
ND Industrial Commission Oil & Gas Division  
600 East Boulevard Ave, Dept 405  
Bismarck ND 58505

Subject: Geophysical Exploration Permits

Dear Mr. Holweger:

All landowners within one-half miles of the proposed 2024 Basin Electric Research Project area have been notified of the schedule and location of the Electromagnetic Magnetotelluric (EM MT) Surveys, Electromagnetic Charged-Well-Casing Surveys (EM CWC), and 2D Active Seismic activities estimated to take place in August and September and have been provided a written copy of the North Dakota Century Code (NDCC) Section 38-08.1-04.1 (Exploration Permit) and NDCC Chapter 38-11.1 (Oil & Gas Production Damage Compensation) as required by NDCC Section 38-08.1-04.1. There was a total of four private landowners, three industry landowners, and Mercer County that were provided the required notification. The permits for the EM MT survey will be submitted by the University of North Dakota Energy and Environmental Research Center. The EM CWC will be submitted by ESG Solutions Group, Inc. The 2D Seismic will be submitted Explor Geoscience USA Inc.

We look forward to collaborating with you further regarding this proposed geophysical project. Please contact me with any questions by phone at 701.557.5454 or by email at [mmurray@bepc.com](mailto:mmurray@bepc.com).

Sincerely,

Mike Murray, SR/WA, R/W-NAC  
Directory of Property & Right of Way





# North Dakota Industrial Commission

## Department of Mineral Resources

### Oil & Gas Division

RECEIVED

AUG 7 6 2024

N.D. INDUSTRIAL COMMISSION

#### FORM GE 1

#### FILING AUTHORIZATION

COMPANY NAME: ESG Solutions Group, Inc.

ADDRESS: 10815 Woodedge Drive

CITY: Houston

STATE: TX

ZIP: 77070

This form authorizes the person(s) listed below to submit a NDIC Geophysical Exploration Permit – Form GE 1 for approval on behalf of the designated company as listed above.

A new authorization will be required if any changes are to be made to the authorized individuals on the form.

The data submitted from the authorized individuals listed below have been checked and conform to the standards and procedures set forth by the NDIC Department of Mineral Resources.

The authorized individual(s) will ensure that the company, as listed above, and party manager receive a copy of the approved Form GE 1

#### Authorized Individuals

#### Phone Number

#### E-Mail Address

Misty Hill


8325856679

misty.hill@esgsolutions.com

Amy Pilling

4693714994

amy.pilling@esgsolutions.com

Company Authorized Signature: 

Date: 16 Aug 24

Printed Name: David Moore

Title: CEO

Phone: 2812900492

Email Address: david.moore@esgsolutions.com

Witness Signature: 

Date: 08/16/2024

Witness Printed Name: Misty Hill